

MOST COMMON

FAST MOVER PARTS LIST

Note: This document is intend to help customer having an idea of the most common fast mover parts on ambulance. Because there is many different ambulance model, this list is to provide an overall idea. Picture might also be different.

IMPORTANT: Before placing an order using this document, please provide stock number and/or VIN in order to make sure the parts required is installed in your vehicle.

WARNING: These parts might not be install in your vehicle. It is your responsibility to validate with Demers prior from ordering. Demers will not be held responsible if wrong parts are order and does not fit in your vehicle.

SERVICE and MAINTENANCE Parts:

- E308187 = Interface cable



- E602120 = Maintenance key



Doors

- E602204 = Door actuator



BLACK door handle:

- E601068
- Right door handle with key



- E601069
- Left door handle with key



- E601075
- Left door WITHOUT key



CHROME door handle:

- E601081
- Right door handle with key CHROME



- E601082
- Left door handle with key



- E601085
- Left door handle WITHOUT key



INTERIOR door handle

- E601071
- Interior left door handle NON-LOCK




- E601073
- Interior right door handle WITH LOCK



Rubber door seal

- #1 = E202036 = Most interior rubber door seal
- #2 = E202033 = Most exterior rubber door seal



Lights

Square Marker light

- E510033 = Chrome base
- E510037 = Connector
- E503017 = Amber light
- E503016 = Red light



Older marker light Oval

- E503439 (RED) (old for MX164)
- E503440 (Amber) (old for MX164)



New Marker lights

- E503519 = RED – CLEAR LENS
- E503518 = AMBER – CLEAR LENS
- E503517 = RED – RED LENS
- E503516 = AMBER – AMBER LENS



- E505001 = AMBER REFLECTOR



- E505003 = RED REFLECTOR



- E502064 = SCENE LIGHT BULB 35W



Siren / Alarm

Whelen

- E515035 = Siren speaker (SA315P)
- E506081 = back up alarm



Outside

Perko

- E710186 = Outside Perko Vent



- E710029 = Inside grill for Perko (3")



- E602185 = 4 1/2" DOOR STOPPER, 5 PARTS: MALE & FEMALE, RUBBER SEATS AND GRABBER
- E602184 = 3" DOOR STOPPER, 5 PARTS: MALE & FEMALE, RUBBER SEATS AND GRABBER



- E602016 (Rubber stopper)



- E202008 (Rubber stopper)



- E202005 Bumperette



- E311016 = AUTO EJECT WP YELLOW 15 AMP



- E509148 = Shoreline indicator light



- E311027 = AUTO-EJECT YELLOW COVER



- E311113 = COVER SUPER AUTO EJECT 15A YELLOW



Fuses / Breakers

Fuses

- E307211 (150A)



-

- E307463(150A)



-

E307196 (125A)



E307517 (100A)



E307516 (40A)



E307464 (60A)




Breakers (Auto-reset)

- E307401 (20A)

- E307400 (15A)

- E307399 (10A)

- E307437 (5A)



Connector seals

- E307214



-

E204048



-

E204063



-

E307376



-

E307460



-

E307213



-

E204064




E307563



TERMINALS


	AWG	#DEMERS
1	20-14	E307117
	20-14	E307118




	AWG	#DEMERS
3	20-14	E307379
	20-14	E502100




	AWG	#DEMERS
2	20-14	E307112
	20-14	E307147




CONNECTORS




2 Position Connector (Male)
E307080
Terminals (Female)
E307117




2 Position Connector (Female)
E307075
Terminals (Male)
E307118




2 Position Connector (Male)
E307195
Terminals (Male)
E307112




2 Position Connector (Female)
E307194
Terminals (Female)
E307147




2 Position Connector (Male)
E307378
Terminals (Female)
E307379




2 Position Connector (Female)
E307387
Terminals (Male)
E502100




3 Position Connector (Male)
E307082
Terminals (Female)
E307117



3 Position Connector (Female)
E307076
Terminals (Male)
E502118



3 Position Connector (Male)
E307081
Terminals (Male)
E307112




3 Position Connector (Female)
E307078
Terminals (Female)
E502147

THE INFORMATION, TECHNICAL DATA AND STANDARDS DESCRIBED HEREIN ARE THE EXCLUSIVE PROPERTY OF DEMERS AMBULANCES AND/OR CONTAIN PROPRIETARY RIGHTS OF OTHERS AND ARE NOT TO BE USED OR DISCLOSED TO OTHERS WITHOUT THE WRITTEN AGREEMENT OF DEMERS AMBULANCES.




TITLE : CONNECTORS AND TERMINALS			
DATE : 06/02/2014	DRAW. : Y. DUBÉ	# DRAWING : # N-0030	REV : 0
# ASS :		PAGE : 1/3	


CONNECTORS (NEXT)




3 Position Connector (Male)
E502101
Terminals (Female)
E307379




3 Position Connector (Female)
E502099
Terminals (Male)
E502100




4 Position Connector (Male)
E307077
Terminals (Female)
E307117




4 Position Connector (Female)
E307067
Terminals (Male)
E307118




4 Position Connector (Male)
E307083
Terminals (Male)
E307112




4 Position Connector (Female)
E307079
Terminals (Female)
E307147




5 Position Connector (Male)
E305005
Terminals (Male)
E307117




5 Position Connector (Female)
E307068
Terminals (Female)
E307118




6 Position Connector (Male)
E502104
Terminals (Male)
E307112



6 Position Connector (Female)
E307375
Terminals (Female)
E307147



9 Position Connector (Male)
E307412
Terminals (Male)
E307112




9 Position Connector (Female)
E307428
Terminals (Female)
E307147

THE INFORMATION, TECHNICAL DATA AND STANDARDS DESCRIBED HEREIN ARE THE EXCLUSIVE PROPERTY OF DEMERS AMBULANCES AND/OR CONTAIN PROPRIETARY RIGHTS OF OTHERS AND ARE NOT TO BE USED OR DISCLOSED TO OTHERS WITHOUT THE WRITTEN AGREEMENT OF DEMERS AMBULANCES.




TITLE : CONNECTORS AND TERMINALS			
DATE : 06/02/2014	DRAW. : Y. DUBÉ	# DRAWING : # N-0030	REV : 0
# ASS :			PAGE : 2/3


CONNECTORS (NEXT)




12 Position Connector (Male)
E303069
Terminals (Female)
E307117




12 Position Connector (Female)
E307066
Terminals (Male)
E307118




12 Position Connector (Male)
E307371
Terminals (Male)
E307112



12 Position Connector (Female)
E307159
Terminals (Male)
E307147




15 Position Connector (Male)
E307061
Terminals (Male)
E307112



15 Position Connector (Female)
E307160
Terminals (Male)
E307147

INSPECTION CRIMPING

strande should be visible at this location




strande should be visible at this location

No distortion at this location

Wire must not exceed the flat

Must be straight and visible



No deformation

THE INFORMATION, TECHNICAL DATA AND STANDARDS DESCRIBED HEREIN ARE THE EXCLUSIVE PROPERTY OF DEMERS AMBULANCES AND/OR CONTAIN PROPRIETARY RIGHTS OF OTHERS AND ARE NOT TO BE USED OR DISCLOSED TO OTHERS WITHOUT THE WRITTEN AGREEMENT OF DEMERS AMBULANCES.



TITLE :

CONNECTORS AND TERMINALS

DATE : 06/02/2014

DRAW. : Y. DUBÉ

DRAWING :

N-0030

REV : 0

PAGE : 3/3